

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	88	((Yonghe near2 Liu).inv. (Xiaolin near2 LU).inv.) and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L2	18730	(TEXAS near INSTRUMENTS).as. and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L3	3183	(370/459 370/461 370/469 370/474).ccls. and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L4	88	((Yonghe near2 Liu).inv. (Xiaolin near2 LU).inv.) and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L5	18730	(TEXAS near INSTRUMENTS).as. and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L6	0	L4 and L5 and L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L7	3	L4 and L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57

L8	21	L5 and L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L9	51	L3 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L10	4	L3 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5) same (size same frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L11	2	L3 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5) same (size with frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L12	3183	(370/459 370/461 370/469 370/474).ccls. and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L13	5	L12 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5) same (longer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L14	28	header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel \$1 transmit\$5) same (longer) and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L15	4	"7046651"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57

L16	290	contention with header\$1 and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L17	42	contention with header\$1 same (delay\$3 wait\$3) and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L18	10	contention with header\$1 same frame same (delay\$3 wait\$3) and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L19	195	contention same adjust\$3 same (delay\$3 wait\$3) and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L20	4	contention same header same adjust\$3 same (delay\$3 wait\$3) and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L21	2	"20030189948" "5774459".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L22	4	"20030189948" "5774459".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L23	376	network same allocation same vector and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57

L24	267	network with allocation with vector and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L25	158	contention and network with allocation with vector and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L26	12	contention same PLCP and network with allocation with vector and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L27	4	network with allocation with vector same VCS and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L28	8	"823102".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L29	65	VCCA and network\$3 and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L30	3128	CCA and network\$3 and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L31	137	clear near2 channel\$3 same CCA and network\$3 and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57

L32	88	clear near2 channel\$3 same CCA and (longer\$3 extend\$3) same (period\$1 time duration\$1) and network\$3 and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L33	10	virtual near2 clear near2 channel\$3 and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L34	16	"802.11n" same mobile and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
L35	14	"802.11n" same station\$1 and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S1	87	((Yonghe near2 Liu).inv. (Xiaolin near2 LU).inv.) and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 09:56
S2	18668	(TEXAS near INSTRUMENTS).as. and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 09:59
S3	3099	(370/459 370/461 370/469 370/474).ccls. and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:15
S4	87	((Yonghe near2 Liu).inv. (Xiaolin near2 LU).inv.) and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:15

S5	18668	(TEXAS near INSTRUMENTS).as. and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:15
S6	0	S4 and S5 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:15
S7	3	S4 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:16
S8	21	S5 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:16
S9	50	S3 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:20
S10	4	S3 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5) same (size same frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:23
S11	2	S3 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5) same (size with frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:24
S12	3099	(370/459 370/461 370/469 370/474).ccls. and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 11:28

S13	4	S12 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5) same (longer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 11:28
S14	27	header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel \$1 transmit\$5) same (longer) and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 11:33
S15	3	"7046651"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:20
S16	289	contention with header\$1 and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:23
S17	42	contention with header\$1 same (delay\$3 wait\$3) and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:23
S18	10	contention with header\$1 same frame same (delay \$3 wait\$3) and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:23
S19	192	contention same adjust\$3 same (delay\$3 wait\$3) and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:32
S20	4	contention same header same adjust\$3 same (delay\$3 wait\$3) and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:32

S21	2	"20030189948" "5774459".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:36
S22	4	"20030189948" "5774459".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:36
S23	369	network same allocation same vector and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:37
S24	261	network with allocation with vector and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:37
S25	154	contention and network with allocation with vector and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:38
S26	12	contention same PLCP and network with allocation with vector and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:38
S27	4	network with allocation with vector same VCS and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 14:40
S28	8	"823102".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 10:43

S35	65	VCCA and network\$3 and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 10:48
S36	3128	CCA and network\$3 and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 10:48
S37	137	clear near2 channel\$3 same CCA and network\$3 and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 10:48
S38	88	clear near2 channel\$3 same CCA and (longer\$3 extend\$3) same (period\$1 time duration\$1) and network\$3 and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 10:49
S39	10	virtual near2 clear near2 channel\$3 and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 10:55
S40	16	"802.11n" same mobile and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 12:42
S41	14	"802.11n" same station\$1 and @ad<"20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 12:58

9/ 2/ 2009 4:23:42 PM

C:\Documents and Settings\Isweet\My Documents\EAST\Workspaces\10832102nonfinal.wsp